

SETUP SHEET

TRACK CONDITIONS			
Type :	<input checked="" type="checkbox"/> Carpet	<input type="checkbox"/> Asphalt	Size: <input type="checkbox"/> Open <input checked="" type="checkbox"/> Med. <input type="checkbox"/> Tight
Place :	<input checked="" type="checkbox"/> Indoor	<input type="checkbox"/> Outdoor	Traction: <input checked="" type="checkbox"/> High <input checked="" type="checkbox"/> Med. <input type="checkbox"/> Low
Surface:	<input checked="" type="checkbox"/> Smooth	<input type="checkbox"/> Med. <input type="checkbox"/> Bumpy	Track Temp/Air Temp: <u>15</u> / _____
Note: <u>Moquette ETS</u>			

FRONT SUSPENSION	
Track Width: <u>186</u> mm	<input type="checkbox"/> Gear Diff _____ wt
Toe Angle: <u>+1°</u>	<input type="checkbox"/> Ball Diff
Caster: <u>4°</u>	<input type="checkbox"/> One Way
Camber: <u>-2°</u>	<input checked="" type="checkbox"/> Spool
Ride Height: <u>5</u> mm	Anti-Roll Bar: \varnothing <u>1.3</u> mm
Down Stop: <u>6</u> mm	

Shim: 1 mm

Shim: 2 mm

Diff. High Low

Shim: 2 mm

Shim: 0 mm

REAR SUSPENSION	
Track Width: <u>189</u> mm	<input type="checkbox"/> Gear Diff <u>8000</u> wt
Toe Angle: <u>-3°</u>	<input type="checkbox"/> Ball Diff
Camber: <u>-1.5°</u>	<input type="checkbox"/> Spool
Ride Height: <u>5.5</u> mm	
Down Stop: <u>5</u> mm	Anti-Roll Bar: \varnothing <u>1.2</u> mm

Shim: 2.5 mm

Shim: 0 mm

Diff. High Low

Shim: 2 mm

Shim: 1 mm

ARM HOLDERS			
(+)		(-)	(-)
<u>0.0</u>	<u>0.0</u>	<u>0.4</u>	<u>0.4</u>
FFL	FRL	FFR	FRR

ARM HOLDERS			
(+)		(-)	(-)
<u>0.4</u>	<u>0.2</u>	<u>0.2</u>	<u>0.4</u>
RFL	RRL	RFR	RRR

ELECTRONICS
Servo: _____
ESC: _____
Battery: _____

DRIVE RATIO
Spur <u>116</u> T
Pinion <u>29</u> T $\times 1.9 =$ _____

MOTOR
Brand: _____
Turns: _____
Timing: _____

TIRES
Insert: _____
Wheel: _____
Shore/deg: _____
Compound: _____
Tire Temp: _____
Tire additive: _____
Treated Area

ESC
Punch: _____
Initial Brake: _____
Drag Brake: _____
<input type="checkbox"/> ESC Timing <input type="checkbox"/> Turbo Timing

FL	FR	RL	RR

SHOCKS	
	Hole Size: F <u>1.1</u> R <u>1.1</u>
	Holes In Piston: F <u>3</u> R <u>3</u>
	Oil wt: F <u>500</u> R <u>500</u>
	Springs: F <u>blu yok</u> R <u>blu yok</u>
	Rebound: F _____ R _____
	Bladder Note: _____
	Thread Length: F _____ R _____

BODY	
	Body: <u>Mazda Speed6</u>
	Wing Height: _____
	Wing Position: _____